

8600114

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Northrup King Co.

Colhereus, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF CIGATEON YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PETITODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SÖYBEAN

'S59-19'

In Testimony Witnereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 27th day of February in the year of our Lord one thousand nine hundred and eighty-seven.

Sexaeth H. Evan Commissioner Plant Variety Protection Office

Plant Variety Grotection Office Agricultural Marketing Service Secretary of Stariculture

U.S. DEPARTMENT	OF AGRICULT	JRE	FORM APPROVED: OMB NO. 0581-0055
AGRICULTURAL M	Application is required in order to determine		
APPLICATION FOR PLANT VAR	IETY PROTE	CTION CERTIFICATE	if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).
1. NAME OF APPLICANT(S)	-	2. TEMPORARY DESIGNATION	3. VARIETY NAME
Northrup King Co.		B000254	S59-19
4. ADDRESS (Street and No. or R.F.D. No., City, Sta	te, and Zip Code)	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
P.O.Box 959 Minneapolis, MN 55440		612-593-7305	PVPO NUMBER
6.65			8600114
6. GENUS AND SPECIES NAME	7. FAMILY NA		DATE
Glycine Max	Legumin	osae	Jay 5, 1986
8. KIND NAME	9.	DATE OF DETERMINATION	AMOUNT FOR FILING
Soybean		November, 1984	DATE MAY 5, 1986 AMOUNT FOR CERTIFICATE
10. IF THE APPLICANT NAMED IS NOT A "PERSO	N " GIVE FORM	OF ORGANIZATION (Corporation	AMOUNT FOR CERTIFICATE
corporation	.,	or oriented flow feel polation,	\$ 20-000 B DATE
			January 5,1987
11. IF INCORPORATED, GIVE STATE OF INCORPO	ORATION		12. DATE OF INCOMPORATION
Delaware 13. NAME AND ADDRESS OF APPLICANT REPRES	SENTATIVE (C)	CANY TO SERVE IN THIS . SOL	1896
Robert W. Romig	SENTATIVE(S), I	F ANY, TO SERVE IN THIS APPLI	CATION AND RECEIVE ALL PAPERS
Northrup King Co.			
P.O. Box 959			·
Minneapolis, MN 55440 14. CHECK APPROPRIATE BOX FOR EACH ATTAC		PHONE (Include ar	ea code):
a. Shibit A, Origin and Breeding History of	CHMENT SUBMIT	FTED Section 52 of the Dlant Variaty Br	atastian dat l
b. Exhibit B, Novelty Statement.	the variety (Bee	Beetion 52 of the Paint Vallety I'll	orection Actif
c. 🛮 Exhibit C, Objective Description of Variety	ty (Request form	from Plant Variety Protection Offi	ce.)
d. 🗵 Exhibit D, Additional Description of Vari	ety.		
e. Exhibit E, Statement of the Basis of Appl	icant's Ownership	0,	
15. DOES THE APPLICANT(S) SPECIFY THAT SEE SEED? (See Section 83(a) of the Plant Variety Pro	otection Act.)	Yes (If "Yes," answer	items 16 and 17 below) No
16. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	S VARIETY BE	17. IF "YES" TO ITEM 16, V BEYOND BREEDER SEE	WHICH CLASSES OF PRODUCTION ED?
Yes No		Foundation	Registered Certified
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECTI	ON OF THE VARIETY IN THE U	.S.?
			Yes (If "Yes," give date)
19. HAS THE VARIETY BEEN RELEASED, OFFER	ED FOR SALE	OR MARKETED IN THE U.S. OR	No .
		011 MAINETED IN THE 0.9, 011	Yes (If "Yes," give names of countries and dates)
•			⊠ №
 The applicant(s) declare(s) that a viable samp plenished upon request in accordance with su 	le of basic seeds ich regulations a	s of this variety will be furnished as may be applicable.	with the application and will be re-
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in Se Variety Protection Act.	er(s) of this sex ection 41, and is	ually reproduced novel plant van sentitled to protection under th	riety, and believe(s) that the variety is e provisions of Section 42 of the Plant
Applicant(s) is (are) informed that false repre	sentation hereis	n can jeopardize protection and	result in penalties.
SIGNATURE OF APPLICANT		\	DATE
Kobet W. A	Some		4/30/86
SIGNATURE OF APPLICANT	0		DATE 1
FORM WA-470 (7-84) (Edition of 3-84 is obsolete.)			400 <u>400 400 400 400 400 400 400 400 400</u>
			0.74 m 2 m

EXHIBIT A

Origin and Breeding History of the Variety

- 1978-80. The Northrup King research group at Bolivar, TN made the cross 'Bay' x 'Bedford' and advanced the population to F₄. In the fall of 1980, 18 plants were selected and threshed individually. A seed sample of each of these plants was tested in cyst nematode infested soil in the greenhouse. The progeny of one of these plants, numbered B000254 was found to be resistant. This line was subsequently named S59-19.
- 1981. We grew seed of S59-19 in an F_5 progeny row.
- 1982. We tested S59-19 in a preliminary yield trial with other cyst nematode resistant selections at two mid-south locations known to be infested with Race 4 of cyst nematode. We selected S59-19 for continued testing and initial seed increase on the basis of good yield and Group V maturity in these tests. It was tested again in the greenhouse to verify cyst resistance.
- 1983. We tested S59-19 at three mid-south locations and found it to yield well compared to other Group V varieties. We identified the descriptive characteristics white flower color, tawny pubescence, tan pods, black hila, and shiny seedcoat luster.

We again tested S59-19 for cyst nematode resistance in the greenhouse and found it to be resistant.

In the summer of 1983, we initiated seed increase from 500 grams of carefully hand rogued seed. We removed all plants not conforming to the variety description by roguing the increase block several times. Growth and maturity were uniform. We sent seed from this initial increase to Hawaii for further increase during the winter of 1983-84.

1984. We tested S59-19 at four mid-south locations to confirm descriptive characteristics, yield, and Group V maturity.

The Northrup King Foundation Seed group at Laurinburg, NC grew Breeder Seed from the 1983-84 Hawaii increase. Off-type plants were removed.

Variety S59-19 is stable and uniform. We have observed no variants in three years of testing and two years of seed increase. Northrup King will maintain varietal purity by use of progeny rows as needed.

EXHIBIT B

Novelty Statement for the Variety

Soybean variety S59-19 is most similar to 'Forrest'. It can be differentiated from Forrest on the basis of resistance to Race 4 of cyst nematode. S59-19 is resistant to Race 4; Forrest is susceptible.

(Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SC	OYBEAN (Glycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Northrup King Co.	вооо254	s59 - 19
ADDRESS (Street and No., or R.F.D. No., City, State, and	Zip Code)	FOR OFFICIAL USE ONLY
P. O. Box 959 Minneapolis, MN 55440		8600114
Choose the appropriate response which characterizes in your answer is fewer than the number of boxes pr	s the variety in the features described ovided, place a zero in the first box	d below. When the number of significant digit when number is 9 or less (e.g., 0 9).
1. SEED SHAPE: 2 L 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		d (L/W ratio > 1.2; L/T ratio = < 1.2) d (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brow	vn 4 = Black 5 = Othe	r (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	•	
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny	y ('Nebsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 2 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect 8	Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
2 1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Gr 3 = Light Purple below cotyledons ('Beeson'; 'Pick 4 = Dark Purple extending to unifoliate leaves ('Ho		('Woodworth'; 'Tracy')
O. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 =	Ovate 4 = Other (Specify)	<u> </u>

11. LEAF	LET SIZE:		0.400114
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Media 3 = Large ('Crawford'; 'Tracy')	um ('Corsoy 79'; 'Gasoy 17')	8600114
12, LEAF	COLOR:		
2	1 = Light Green ('Weber'; 'York') 2 = Media 3 = Dark Green ('Gnome'; 'Tracy')	um Green ('Corsoy 79'; 'Braxton')	
13. FLOW	/ER COLOR:		
1	1 = White 2 = Purple 3 = White wi	th purple throat	
14. POD 0	OLOR:		
1	1 = Tan 2 = Brown 3 = Black		
15. PLAN	PUBESCENCE COLOR:		
2	1 = Gray 2 = Brown (Tawny)		
16. PLAN	TYPES:		
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intern 3 = Bushy ('Gnome'; 'Govan')	nediate ('Amcor'; 'Braxton')	
17. PLAN1	· HABIT:		
1	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi- 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	Determinate ('Will')	
IB. MATUI	RITY GROUP:		
8	1 = 000		8 = V
9. DISEAS	E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	esistant)	•
BACT	ERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis)		ANTELLOS,
	Bacterial Blight (Pseudomonas glycinea)	6	SECTION (1)
	Wildfire (Pseudomonas tabaci)		USDA AMS
		8-	WW 2 1339
	L DISEASES: Brown Spot (Septoria glycines)		Plant Variety Protection Ofc.
	Frogeye Leaf Spot (Cercospora sojina)	· · · · · · · · · · · · · · · · · · ·	Community .
	Race 1 Race 2 Race 3	Race 4 Race 5 Other (Spe	ocity)
	Target Spot (Corynespora cassiicola)	Carrend Carried	
Ħ	Downy Mildew (Peronospora trifoliorum var. manshurica)		
	Powdery Mildew (Microsphaera diffusa)		
	Brown Stem Rot <i>(Cephalosporium gregatum)</i>		
	Stem Canker (Diaporthe phaseolorum var. caulivora)		

19. DISEASE REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant) (Continued)		
FUNGAL DISEA	SES: (Continued)			
Pod and St	em Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae)</i>			·. · · · · · · · · · · · · · · · · · ·
Purple Seed	Stain (Cercospora kikuchii)		The state of the s	
Rhizoctoni	a Root Rot <i>(Rhizoctonia solani)</i>			·
Phytophtho	ora Rot (Phytophthora megasperma var. sojae).	· · · · · · · · · · · · · · · · · · ·		
1 Race 1	1 Race 2 1 Race 3 1	Race 4 1 Race 5	Race 6 1 R	lace 7
Race 8	1 Race 9 Other (Specify)			
VIRAL DISEASES				
	(Tobacco Ringspot Virus)			
	aic (Bean Yellow Mosaic Virus)			
Cowpea Mos	saic (Cowpea Chlorotic Virus)			
Pod Mottle	(Bean Pod Mottle Virus)			
Seed Mottle	(Soybean Mosaic Virus)			
NEMATODE DISE	ASES:			
Soybean Cys	st Nematode (Heterodera glycines)	<u> </u>		•
Race 1	Race 2 2 Race 3 2	Race 4 Other	(Specify)	
Lance Nema	tode (Hopiolaimus Colombus)			
Southern Ro	ot Knot Nematode (Meloidogyne incognita)			x = 2
Northern Ro	ot Knot Nematode (Meloidogyne Hapla)			
Peanut Root	Knot Nematode (Meloidogyne arenaria)			
Reniform Ne	matode (Rotylenchulus reniformis)			
<u> </u>	EASE NOT ON FORM (Specify):			
		-		·
20. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscept	tible; 2 = Resistant)		
tron Chlorosi	s on Calcareous Soil	•		
Other (Specif	y)			
21. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)		
Mexican Bean	Beetle (Epilachna varivestis)			1
Potato Leaf H	opper (Empoasca fabae)			
			· .	
				
	RIETY MOST CLOSELY RESEMBLES THA			
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIET	<u>Y</u>
Plant Shape Leaf Shape	Forrest	Seed Coat Luster	Fayette	
Leaf Color	Bedford	Seed Size Seed Shape	Bedford	
Leaf Size	Forrest	Seed Snape Seedling Pigmentation	Bedford Forrest	
	Bedford	3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	LOLLEGE	6

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT DAYS LODGING MATURITY SCORE	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/	
		SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oii	SEEDS	POD
Submitted	130	3.1	99			38.0	21.0	12.0	2-3
Forrest Name of Similar Variety	132	2.5	102			38.9	21.0	11.0	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.




EXHIBIT D

Additional Description of the Variety

Soybean variety S59-19 is a late Group V cultivar maturing slightly earlier than Forrest. It has good emergence, fair lodging resistance, and normal tolerance to metribuzin herbicide. It is resistant to Races 3 and 4 of cyst nematode, but is susceptible to Phytophthora megasperma.

EXHIBIT E

Statement of the Basis of Applicant's Ownership

The soybean variety S59-19 was developed by the Northrup King Co. soybean breeding staff from germplasm sources cited in Exhibit A of the application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act, and, therefore, that Northrup King Co. is the sole owner of the variety.